CRUISE S				FOR COLL	ATIMG CEN		
CRUISE S						INE USE	
		REPORT	Centre: DOD 17/5942	Ref. No.:	21.04.2017,	, 30.0508.06.2017,	Jnr
			Is data exchange restricted	e □ Yes	□ In part	⊠ No	
SHIP enter the full name an example, research sh	nd international radio call sign o ip; ship of opportunity, naval su	f the ship from which the c rvey vessel; etc.	lata were collected,	and indicat	e the type of	ship, for	
Name: SKA	AGERAK Call Sign: SGCD						
Type of ship: Res	earch Vessel						
CRUISE NO. / NAME	TING (21.04.2017, 3	0.0508.06.2017, Jn	r. 17/5942)	enter th or acror (or cruis	e unique nun nym assigned se leg, if appr	nber, name I to the cruise opriate).	
	start 30.05.2017 (set sail) day/ month/ year	to 08.06.2017 day/ month/ year (retur	end n to port)				
PORT OF DEPARTUR	E (Kristineberg, Sweden)						
PORT OF RETURN	(Kristineberg, Sweden)						
RESPONSIBLE LABO	RATORY enter name and the cruise	address of the laboratory	responsible for coo	dinating the	e scientific pla	anning of	
Name:	Gothenburg University						
Address:	Box 100, 405 30 Götebo	org					
Country:	Sweden						
CHIEF SCIENTIST(S)	enter name and laboratory of Dr. Sebastiaan Swart Department of Marine Se University of Gothenburg Carl Skottsbergs Gata 2 SE - 413 19 Gothenburg Sweden	the person(s) in charge o ciences g (UGOT) 2	the scientific work	(chief of mi	ssion) during	the cruise.	

PRINCIPAL INVESTIGATORS: Enter the name and address of the Principal Investigators responsible for the data collected on the cruise and who may be contacted for further information about the data. (The letter assigned below against each Principal Investigator is used on pages 2 and 3, under the column heading 'Pl', to identify the data sets for which he/she is responsible)

A. Sebastiaan Swart, Dr.

B. Karen Assman, Dr.

MOORINGS, BOTTOM MOUNTED GEAR AND DRIFTING SYSTEMS

This section should be used for reporting moorings, bottom mounted gear and drifting systems (both surface and deep) deployed and/or recovered during the cruise. Separate entries should be made for each location (only deployment positions need be given for drifting systems). This section may also be used to report data collected at fixed locations which are returned to routinely in order to construct 'long time series'.

	APPROXIMATE POSITION						DATA TYPE	DESCRIPTION
PI See top of page.	Ldeg	ATITUDE	N/S	L deg	ONGITUDE	E/W	enter code(s) from list on cover page.	Identify, as appropriate, the nature of the instrumentation the parameters (to be) measured, the number of instruments and their depths, whether deployed and/or recovered, dates of deployments and/or recovery, and any identifiers given to the site.
Α	58	29.24	N	10	37.03	E		Kongsberg Seaglider – autonomous ocean glider deployed for 3 days to test in Swedish waters
Α	58	29.24	N	10	37.03	E		Kongsberg Seaglider – autonomous ocean glider deployed for 3 days to test in Swedish waters

SUMMARY OF MEASUREMENTS AND SAMPLES TAKEN

Except for the data already described on page 2 under 'Moorings, Bottom Mounted Gear and Drifting Systems', this section should include a summary of all data collected on the cruise, whether they be measurements (e.g. temperature, salinity values) or samples (e.g. cores, net hauls).

Separate entries should be made for each distinct and coherent set of measurements or samples. Different modes of data collection (e.g. vertical profiles as opposed to underway measurements) should be clearly distinguished, as should measurements/sampling techniques that imply distinctly different accuracy's or spatial/temporal resolutions. Thus, for example, separate entries would be created for i) BT drops, ii) water bottle stations, iii) CTD casts, iv) towed CTD, v) towed undulating CTD profiler, vi) surface water intake measurements, etc.

Each data set entry should start on a new line - it's description may extend over several lines if necessary.

NO, UNITS : for each data set, enter the estimated amount of data collected expressed in terms of the number of 'stations'; miles' of track; 'days' of recording; 'cores' taken; net 'hauls'; balloon 'ascents'; or whatever unit is most appropriate to the data. The amount should be entered under 'NO' and the counting unit should be identified in plain text under 'UNITS'.

PI see page 2	NO see above	UNITS see above	DATA TYPE Enter code(s) from list on cover page	DESCRIPTION Identify, as appropriate, the nature of the data and of the instrumentation/sampling gear and list the parameters measured. Include any supplementary information that may be appropriate, e. g. vertical or horizontal profiles, depth horizons, continuous recording or discrete samples, etc. For samples taken for later analysis on shore, an indication should be given of the type of analysis planned, i.e. the purpose for which the samples were taken.
А, В	2	CTD		CTD vertical cast completed to measure T, S, oxygen



THANK YOU FOR YOUR COOPERATION

Please send your completed report without delay to the collating centre indicated on the cover page